

2027 OUTDOOR PRODUCT CATALOGUE

OUTDOOR SOLUTIONS

COMMERCIAL OUTDOOR SOLUTIONS

DEWALT

TABLE OF CONTENTS

DEWALT BATTERY SYSTEM

18V XR® RANGE 04

54V XR® FLEXVOLT® RANGE 04

BATTERIES & CHARGERS 05

OUTDOOR SOLUTIONS

BLOWERS 07

BRUSHCUTTERS & TRIMMERS 10

CHAINSAWS 16

HEDGE TRIMMERS 19

MODULAR SYSTEM 22

MOWERS 26

POLE SAWS 30

PRESSURE WASHERS 32

PRUNERS 33

COMMERCIAL OUTDOOR SOLUTIONS

BRUSHCUTTERS & TRIMMERS 36

CHAINSAWS 41

HEDGE TRIMMERS 43

POLE SAWS 46

NEW PRODUCTS HIGHLIGHTS



DCST900

18V XR® Folding 36 cm String Trimmer

PAGE 12



DCMCS675

54V XR FLEXVOLT® 40 cm Chainsaw

PAGE 17 »



OUTDOOR SOLUTIONS

COMMERCIAL OUTDOOR SOLUTIONS

For over 100 years, the DEWALT name has stood for quality, endurance and professionalism, earning respect and loyalty among the people and businesses who work with us. Today, we're more committed than ever to innovation, performance and safety. When we put the DEWALT name on something, it's a commitment to get the job done right.

Our versatile range of battery powered outdoor tools is designed with the end user at the forefront and will empower you to tackle and tame the great outdoors like never before. Find out more at **www.dewalt.com**.

DCMRS531

2 x 18V XR® 53 cm Self-Propelled Mower

PAGE 27 »

DCMPH622

54V XR® FLEXVOLT® 2.3 m Long Reach Pole Hedge Trimmer

PAGE 43 »

DEWALT BATTERY SYSTEM



PERFORMANCE REDEFINED

We're experts in developing battery and motor technology. Our 18V XR® range delivers the ultimate fusion of the two: designed to transform your productivity.

Our 18V XR® batteries are perfect for less demanding applications and more precise work. While improved ergonomics mean they're easier to handle for longer periods of time.

The 18V XR® battery range is compatible with all DEWALT 18V tools.


18V XR™

POWER OF PETROL, FREEDOM OF BATTERY

Our revolutionary range of XR® FLEXVOLT® batteries gives you unrivalled performance and runtime.

The XR® FLEXVOLT® battery range is not only compatible with all DEWALT 54V tools, but also backwards compatible with the 18V range too. Operate your full range of tools with one single battery system – the only battery system on the market that automatically switches from 54V to 18V.

54V XR FLEXVOLT™



18V XR® BATTERIES

DCB183	DCB184	DCB1880
		
18V XR® 2.0Ah Battery	18V XR® 5.0Ah Battery	18V XR® 8.0Ah Battery
2.0AH CAPACITY	5.0AH CAPACITY	8.0AH CAPACITY
36 WH	90 WH	144 WH
0.37 KG	0.64 KG	1.05 KG

18V XR® / 54V XR® FLEXVOLT® BATTERIES

DCB546	DCB547	DCB5480	DCB549
			
XR® FLEXVOLT® 6.0Ah Battery	XR® FLEXVOLT® 9.0Ah Battery	XR® FLEXVOLT® 12.0Ah Battery	XR® FLEXVOLT® 15.0Ah Battery
6.0AH CAPACITY	9.0AH CAPACITY	12.0AH CAPACITY	15.0AH CAPACITY
108 WH	162 WH	216 WH	270 WH
1.06 KG	1.46 KG	1.46 KG	2.12 KG

CHARGERS

DCB1104	DCB132	DCB118	DCB1404	DCB104	DCB117
					
4A Charger	4A Dual Port Charger	4A Quadport Charger	8A Fast Charger	8A 4-Port Fast Charge	12A Fast Charger
4A OUTPUT CURRENT*	4A OUTPUT CURRENT*	4A OUTPUT CURRENT*	8A OUTPUT CURRENT*	8A OUTPUT CURRENT*	12A OUTPUT CURRENT*
1 CHARGING PORT	2 CHARGING PORTS	4 CHARGING PORTS	4 CHARGING PORT	4 CHARGING PORTS	1 CHARGING PORT

*Max charging current (dependent on battery type, condition and temperature).



OUTDOOR SOLUTIONS

TAKE THE POWER OUTSIDE

Designed for small to medium areas, these outdoor tools deliver easy, efficient performance for a variety of tasks with comfort and reliability.

LOW-NOISE BLOWER




DCMBL718

18V XR® Low-Noise Blower

The 18V XR® Blower delivers high-efficiency debris clearance in noise-sensitive environments without sacrificing clearing force. Powered by an 18V brushless motor paired with an axial fan design, it produces compact, high-velocity airflow while operating with up to 29% less noise than the existing DCMBL562 model*.

DCMBL718	
SPEED	210 KM/H
AIR VOLUME (MIN)	15.9 M^3/MIN
SOUND PRESSURE LEVEL (LpA)	83 dB(A)
SOUND POWER LEVEL GUARANTEED (LWA)	94 dB(A)
VIBRATION DATA	0.2 M/S^2
BLOW FORCE	13.2 N
WEIGHT (TOOL ONLY)	2.9 KG

ORDER INFO	
DCMBL718N	TOOL ONLY
DCMBL718XW1	BLOWER, 1X 18V XR® 8AH (144 WH) BATTERY, 8A CHARGER



*Guaranteed Sound Power tested in accordance with 200/14/EC, on full trigger.

BLOWERS

HANDHELD BLOWER



DCMBL562
18V XR® Axial Blower

The lightweight and ergonomic design gives users directional control and improves comfort.



DCMBL562	
SPEED	200 KM/H
AIR VOLUME (MIN)	12.7 M^3
SOUND PRESSURE LEVEL (LpA)	88 dB(A)
SOUND POWER LEVEL GUARANTEED (LWA)	87 dB(A)
VIBRATION DATA	< 2.5 M/S^2
WEIGHT (TOOL ONLY)	3.1 KG

ORDER INFO	
DCMBL562N	TOOL ONLY
DCMBL562P1	BLOWER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

HANDHELD BLOWER

DCMBA572
54V XR® FLEXVOLT® Axial Blower

Designed for the fast and effective removal of debris, allowing for total control of productivity.



DCMBA572	
SPEED	200 KM/H
AIR VOLUME (MIN)	17 M^3
SOUND PRESSURE LEVEL (LpA)	97 dB(A)
SOUND POWER LEVEL GUARANTEED (LWA)	107 dB(A)
VIBRATION DATA	< 2.5 M/S^2
WEIGHT (TOOL ONLY)	3.1 KG

ORDER INFO	
DCMBA572N	TOOL ONLY




BLOWERS

HANDHELD BLOWER

DCMBL777
54V XR® FLEXVOLT®
Axial Blower

Power through your outdoor tasks with a quiet design and complete control.





DCMBL777	
SPEED	240 KM/H
AIR VOLUME (MIN)	21.2 M^3
SOUND PRESSURE LEVEL (LpA)	84 dB(A)
SOUND POWER LEVEL GUARANTEED (LWA)	96 dB(A)
VIBRATION DATA	< 2.5 M/S^2
WEIGHT (TOOL ONLY)	3.2 KG

ORDER INFO	
DCMBL777N	TOOL ONLY
DCMBL777X1	BLOWER, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

BACKPACK BLOWER



DCMBBL800
2x54V XR® FLEXVOLT®
Backpack Blower

Suitable for use on tougher tasks, clearing leaves and debris quickly and comfortably.



DCMBBL800	
SPEED	257 KM/H
AIR VOLUME (MIN)	24.2 M^3
SOUND PRESSURE LEVEL (LpA)	87 dB(A)
SOUND POWER LEVEL GUARANTEED (LWA)	102 dB(A)
VIBRATION DATA	< 2.5 M/S^2
BLOW FORCE	21.6 N
WEIGHT (TOOL ONLY)	8.9 KG

ORDER INFO	
DCMBBL800N	TOOL ONLY

OUTDOOR SOLUTIONS

25 CM BULL HANDLE BRUSH CUTTER




NEW PRODUCT

DCBC915

18V XR Bull Handle 25 cm Brushcutter

Clear tougher overgrowth with the DEWALT 18V XR® Brushless Bull Handle Brush Cutter, a cordless cutting tool built for power, control, and all-day comfort. Featuring a rear-mounted brushless motor, 25 cm tri-tip blade, variable-speed trigger, hi/low speed settings, battery charge indicator, and adjustable bull-handle design. It delivers efficient performance for demanding clearing work with improved ergonomics and up to 61 minutes runtime*.



DCBC915	
CUTTING SPEED (RPM)	0-4600 / 0-6000 RPM
CUTTING WIDTH	25 CM
CUTTING EQUIPMENT	BRUSH CUTTER
LINE DIAMETER/BLADE TYPE	25 CM TRI TIP
WEIGHT (TOOL ONLY)	5.74 KG

ORDER INFO	
DCBC915N	TOOL ONLY
DCBC915P1	BRUSH CUTTER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

*Per charge using DCB184 Battery on Low Speed, measured at no-load.

OUTDOOR SOLUTIONS

33 CM BULL HANDLE STRING TRIMMER




NEW PRODUCT

DCST915

18V XR® Bull Handle 33 cm String Trimmer

Trim with confidence using the DEWALT 18V XR® Bull Handle String Trimmer, a cordless tool built for efficient cutting and everyday comfort. Featuring a rear-mounted brushless motor, 33 cm cutting swath, variable-speed trigger, Hi/Low speed settings, battery charge indicator, and QUICKLOAD™ bump spool, it delivers practical performance with up to 40 minutes runtime*.



DCST915	
CUTTING SPEED (RPM)	0-4600 / 0-6000 RPM
CUTTING WIDTH	33 CM
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER/BLADE TYPE	2 MM
WEIGHT (TOOL ONLY)	5.66 KG

ORDER INFO	
DCST915N	TOOL ONLY
DCST915P1	STRING TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

*Per charge using DCB184 Battery on Low Speed, measured at no-load.

36 CM FOLDING STRING TRIMMER




NEW PRODUCT

DCST900

18V XR® Folding 36 cm String Trimmer

Tidy edges and overgrown areas with the DEWALT 18V XR® Folding Shaft Trimmer, a cordless tool designed for efficient cutting, easy handling, and compact storage. Featuring a brushless motor in the cutting head, 36 cm cutting swath, variable-speed trigger, hi/low speed settings, QUICKLOAD™ bump spool, and a patented folding shaft design. It delivers a strong trimming performance with added convenience for transport and storage.



DCST900	
CUTTING SPEED (RPM	0-4600 / 0-6000 RPM
CUTTING WIDTH	36 CM
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER/BLADE TYPE	2 MM
WEIGHT (TOOL ONLY)	4.2 KG

ORDER INFO	
DCST900N	TOOL ONLY
DCST900P1	FOLDING STRING TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

36 CM STRING TRIMMER

DCMST561
18V XR® 36 cm Folding Shaft String Trimmer

Features a split shaft design, ideal for easy transportation and storage.





DCMST561	
CUTTING SPEED	0-4600 / 0-6000 RPM
CUTTING WIDTH	36 CM (14 IN)
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER	2 MM
VIBRATION DATA	3.5 M/S²
WEIGHT (TOOL ONLY)	3.8 KG

ORDER INFO	
DCMST561N	TOOL ONLY
DCMST561P1	TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

33 CM STRING TRIMMER



DCM561
18V XR® 33 cm String Trimmer

Ideal for trimming grass and weeds, and lighter removal jobs.



DCM561PBS	
CUTTING SPEED	0-4600 / 0-6000 RPM
CUTTING WIDTH	33 CM (13)
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER	2 MM
VIBRATION DATA	3.5 M/S²
WEIGHT (TOOL ONLY)	3.6 KG

ORDER INFO	
DCM561PBSN	TOOL ONLY
DCM561L1S	TRIMMER, 1X 18V XR® 3AH (90 WH) BATTERY, 4A CHARGER
DCM561P1S	TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER
DCMST561DCD	DCM561 18V XR® 33 CM STRING TRIMMER, DCD791 18V XR® BRUSHLESS DRILL DRIVER, 2x DCB184 18V XR® 5AH (90 WH) BATTERY, DCB1104 4A CHARGER

BRUSHCUTTERS & TRIMMERS

38 CM STRING TRIMMER



DCM5713
54V XR® FLEXVOLT® 38 cm String Trimmer

Features a 38 cm cutting swath to tackle large areas.



DCM5713	
CUTTING SPEED	0-5100 / 0-5500 RPM
CUTTING WIDTH	38 CM (15)
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER	2 MM
VIBRATION DATA	2.6 M/S²
WEIGHT (TOOL ONLY)	4.6 KG

ORDER INFO	
DCM5713N	TOOL ONLY
DCM5713X1	TRIMMER 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

38 CM STRING TRIMMER / BRUSHCUTTER

DCM571
54V XR® FLEXVOLT® 38 cm Trimmer / Brushcutter

Features a 38 cm swath and brush cutter blade and adapter, for grass cutting or heavier clearing work.





DCM571	
CUTTING SPEED	0-5100 / 0-5500 RPM
CUTTING WIDTH	38 CM (15 IN.) / 26 CM (10)
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER / BLADE TYPE	2 MM / 25 CM TRI TIP BLADE
VIBRATION DATA	10.1 M/S²
WEIGHT (TOOL ONLY)	4.6 KG

ORDER INFO	
DCM571N	TOOL ONLY
DCM571X1	BRUSHCUTTER, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

BRUSHCUTTERS & TRIMMERS

ACCESSORIES

SKU	DESCRIPTION	COMPATIBLE WITH
DT20650 	TRIMMER LINE 2 MM X 15 M	DCST900, DCST915, DCM561, DCMST561, DCM5713
DT20651 	TRIMMER LINE 2 MM X 68 M	DCST900, DCM561, DCMST561, DCM5713
DT20652 	TRIMMER LINE 2.4 MM X 68.6 M	DCM5713
DT20653 	TRI TIP BLADE	DCMC915, DCST915
DT20655 	4-POINT BLADE	DCMC915, DCST915
DT20656 	SPOOL 7.8 M X 2 MM	DCST900, DCST915, DCM561, DCMST561
DT20658 	QUICKLOAD™ SPOOL 6 M X 2 MM	DCST900, DCST915, DCM561, DCMST561, DCM5713
DT20914 	18V BRUSH TO STRING CONVERSION KIT	DCBC915
DT20915 	STRING TRIMMER TO BRUSHCUTTER CONVERSION KIT	DCST915
DT20916 	BRUSH CUTTER CAP REPLACEMENT	DCMC915
DT20697 	PREMIUM SINGLE STRAP	DCBC915, DCST915, DCST900, DCMST561, DCM561, DCM5713, DCM571
DT20698 	DELUXE HARNESS	DCMC915, DCST915
DT20699 	EXO HARNESS	DCMC915, DCST915

CHAINSAWS

OUTDOOR SOLUTIONS

COMPACT CHAINSAW



DCMCS565
18V XR® 30 cm Compact Chainsaw

18V XR

Compact chainsaw for quick cuts and easy handling in tight spaces. Ideal for cutting firewood and garden projects.



DCMCS565	
BAR LENGTH	30 CM
MAX CHAIN SPEED	7.3 M/S
CHAIN PITCH	3/8" LP
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	2.7 KG

ORDER INFO	
DCMCS565N	TOOL ONLY
DCMCS565P1	CHAINSAW, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

CHAINSAW

DCMCS574
54V XR® FLEXVOLT® 45 cm Chainsaw

54V XR FLEXVOLT

Powerful chainsaw for larger tasks. Ideal for storm cleanup, and felling of medium sized trees.



DCMCS574	
BAR LENGTH	45 CM
MAX CHAIN SPEED	13.5 M/S
CHAIN PITCH	3/8" LP
RECOMMENDED BATTERY	DCB547
WEIGHT (TOOL ONLY)	4.2 KG

ORDER INFO	
DCMCS574N	TOOL ONLY
DCMCS574X1	CHAINSAW, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

DCMCS575
54V XR® FLEXVOLT® 50 cm High Powered Chainsaw

54V XR FLEXVOLT

High performance chainsaw for demanding, heavy duty applications.



DCMCS575	
BAR LENGTH	50 CM
MAX CHAIN SPEED	13.5 M/S
CHAIN PITCH	3/8" LP
RECOMMENDED BATTERY	DCB549
WEIGHT (TOOL ONLY)	4.8 KG

ORDER INFO	
DCMCS575N	TOOL ONLY
DCMCS575X1	CHAINSAW, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

CHAINSAW

OUTDOOR SOLUTIONS

40 CM CHAINSAWS




DCMCS675

54V XR® FLEXVOLT® 40 cm Chainsaw

54V XR FLEXVOLT

Keep cutting jobs moving with the DEWALT 54V XR® FLEXVOLT® Brushless Chainsaw, a powerful battery saw built for demanding outdoor work. Featuring a 2.1 kW brushless motor, 16 in/40 cm bar, 18 m/s chain speed, and practical details like side-mounted chain tensioning, on-board wrench storage, and an inertia chain brake, it delivers strong performance with control and convenience. Ideal for cutting firewood and felling small trees, it combines professional-grade power with the freedom of cordless operation*.



DCMCS675	
BAR LENGTH	40 CM
MAX CHAIN SPEED	18 M/S
CHAIN PITCH	3/8" LP
RECOMMENDED BATTERY	DCB549
WEIGHT (TOOL ONLY)	5.0 KG

ORDER INFO	
DCMCS675N	TOOL ONLY
DCMCS675X1	CHAINSAW, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

CHAINSAWS

OUTDOOR SOLUTIONS

ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DT20676 	3/8" LP 30 CM CHAIN	DCM565
DT20665 	3/8" LP 30 CM BAR & CHAIN	DCM565
DZO6235 	3/8" LP 35 CM BAR CHAIN	DCMCS675
DZO6235 	3/8" LP 35 CM BAR	DCM565
DT20663 	3/8" LP 40 CM CHAIN	DCMCS675
DZGB14316 	3/8" LP 40 CM BAR	DCMCS675
DT20688 	3/8" LP 45 CM CHAIN	DCMCS574
DT20687 	3/8" LP 45 CM BAR	DCMCS574
DT20690 	3/8" LP 50 CM CHAIN	DCMCS575
DT20689 	3/8" LP 50 CM BAR	DCMCS575
DT20662 	CHAINSAW OIL	DCMCS565, DCMCS574, DCMCS575, DCMCS675


HEDGE TRIMMERS

20 CM COMPACT HEDGE TRIMMER

DCMHT520
18V XR® 20 cm Compact Hedge Trimmer

Your ideal partner for precision cutting tasks such as shaping decorative hedges or smaller hedge maintenance.





DCMHT520	
SPEED	2700 SPM
BLADE GAP	13 MM
RECOMMENDED BATTERY	DCB183
WEIGHT (TOOL ONLY)	1.4 KG

ORDER INFO	
DCMHT520N	TOOL ONLY
DCMHT520D1	HEDGE TRIMMER, 1X 18V XR® 2AH (36 WH) BATTERY, 2A CHARGER

55 CM HEDGE TRIMMER

DCMHT562
18V XR® 55 cm 19 mm Hedge Trimmer

Best for light trimming and fine shaping. Ideal for small branches and regular hedge maintenance where precision matters.



DCMHT562	
SPEED	2800 SPM
BLADE GAP	19 MM
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	3.2 KG

ORDER INFO	
DCMHT562N	TOOL ONLY
DCMHT562P1	HEDGE TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

DCMHT564
18V XR® 55 cm 25 mm Hedge Trimmer

Suited for tougher work. Handles thicker branches with ease, making it better for denser or less frequently maintained hedges.



DCMHT564	
SPEED	2800 SPM
BLADE GAP	25 MM
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	3.2 KG

ORDER INFO	
DCMHT564N	TOOL ONLY
DCMHT564P1	HEDGE TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

HEDGE TRIMMERS

OUTDOOR SOLUTIONS

65 CM HEDGE TRIMMER



DCMHT573

54V XR® FLEXVOLT® 65 cm Hedge Trimmer

54V XR FLEXVOLT

The 65 cm laser-cut blades with 31 mm blade gap enable smoother cuts for fast and efficient cutting of tougher applications.



DCMHT573	
SPEED	3400 SPM
BLADE GAP	31 MM
RECOMMENDED BATTERY	DCB547
WEIGHT (TOOL ONLY)	4.1 KG

ORDER INFO	
DCMHT573N	TOOL ONLY
DCMHT573X1	HEDGE TRIMMER, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

POLE HEDGE TRIMMER

DCMPH566

18V XR® 55 cm Pole Hedge Trimmer

18V XR

Featuring an extensive 2.1 m maximum overall length and innovative articulating 7-position head giving you complete control.



DCMPH566	
SPEED	2800 SPM
BLADE GAP	25 MM
MAX OVERALL LENGTH	2.1 M
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	3.6 KG

ORDER INFO	
DCMPH566N	TOOL ONLY
DCMPH566P1	HEDGE TRIMMER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER



HEDGE TRIMMERS

OUTDOOR SOLUTIONS

60 CM BRUSHLESS HEDGE TRIMMER

DCMHT567
18V XR® Brushless 60 cm Hedge Trimmer

18V XR

A versatile tool designed for trimming bushes, shrubs and a variety of hedge maintenance tasks.





DCMHT567	
SPEED	3200 SPM
BLADE GAP	25 MM
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	3.5 KG

ORDER INFO	
DCMHT567N	TOOL ONLY
DCMHT567P1	HEDGE TRIMMER, 1X 18V XR® 5AH POWERSTACK (90 WH) BATTERY, 4A CHARGER

ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DZO8222 	TIP GUARD	DCMHT567
DZO8555 	55 CM HEDGE SWEEP	DCMHT562, DCMHT564
DT20666 	BLADE LUBRICANT	DCMHT520, DCMHT562, DCMHT564, DCMPH566, DCMHT567, DCMHT573

MODULAR SYSTEM

OUTDOOR SOLUTIONS

POWER HEAD



DCMAS5713

54V XR® FLEXVOLT® Split Boom Power Head

54V XR FLEXVOLT

Get the flexibility and power needed to complete a range of jobs with the attachment capable system.



DCMAS5713	
VOLTAGE	54V
MOTOR	BRUSHLESS
WEIGHT (TOOL ONLY)	3.8 KG

ORDER INFO	
DCMAS5713N	TOOL ONLY
DCMAS5713X1	POWER HEAD, STRING TRIMMER ATTACHMENT, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

ATTACHMENT

DCMASBC1

Split Boom Brushcutter Attachment

54V XR FLEXVOLT

Tackle your brush cutting tasks with a high-quality 20 cm 4-tooth steel blade for clearing thick brush and undergrowth.



DCMASBC1	
SPEED	0-3700 / 0-4600 RPM
CUTTING WIDTH	20 CM (8)
BLADE TYPE	20 CM 4-TOOTH BLADE
VIBRATION DATA	3.9 M/S^2
WEIGHT (ATTACHMENT ONLY)	1.9 KG

ORDER INFO	
DCMASBC1N	TOOL ONLY



ATTACHMENT

DCMASPH6
Split Boom Pole Hedge Trimmer Attachment

54V XR FLEX VOLT

Tackle your hedge trimming tasks with the durable 55 cm dual action blades and articulated head.





DCMASPH6	
BLADE LENGTH	55 CM (22)
BLADE GAP	19 MM
SPEED	2800 SPM
VIBRATION DATA	2.5 M/S²
WEIGHT (ATTACHMENT ONLY)	2.5 KG

ORDER INFO	
DCMASPH6N	TOOL ONLY

ATTACHMENT



DCMASED9
Split Boom Edger Attachment

54V XR FLEX VOLT

Achieve crisp borders and tidy edges, for easy and efficient grass border maintenance.



DCMASED9	
SPEED	0-3900 / 0-4800 RPM
BLADE LENGTH	19 CM
EDGING DEPTH	UP TO 5 CM
VIBRATION DATA	3 M/S²
WEIGHT (ATTACHMENT ONLY)	2.2 KG

ORDER INFO	
DCMASED9N	TOOL ONLY

ATTACHMENT



DCMASPS5
Split Boom Pole Saw Attachment

54V XR FLEX VOLT

Tackle your cutting tasks with the extending pole allowing 2 different reach settings and long reach hook.



DCMASPS5	
CHAIN PITCH/GAUGE	3/8" LP
DRIVE LINK THICKNESS	1.1 MM / 0.043"
MAX CHAIN SPEED	6.5 M/S
BAR LENGTH	20 CM (8)
VIBRATION DATA	< 2.5 M/S^2
WEIGHT (ATTACHMENT ONLY)	2.7 KG

ORDER INFO	
DCMASPS5N	TOOL ONLY

ATTACHMENT

DCMASST1
Split Boom String Trimmer Attachment

54V XR FLEX VOLT

Tackle your trimming tasks with the 38 cm cutting swath for efficient clearance of larger areas.






DCMASST1	
SPEED	0-4400 / 0-5400 RPM
CUTTING WIDTH	38 CM (15)
LINE DIAMETER	2 MM
FEED SYSTEM	BUMP (QUICKLOAD™)
VIBRATION DATA	2.5 M/S^2
WEIGHT (ATTACHMENT ONLY)	2.1 KG

ORDER INFO	
DCMASST1N	TOOL ONLY



ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DT20683 	CARRY BAG	DCMAS5713
DT20651 	TRIMMER LINE 2 MM X 68.6 M	DCMASST1
DT20658 	QUICKLOAD™ SPOOL 6 M X 2 MM	DCMASST1
DT20680 	BRUSH CUTTER 4-TOOTH BLADE	DCMASBC1
DT20684 	BRUSH CUTTER ADAPTOR SET	DCMASBC1
DT20685 	EXTENSION POLE	DCMASPS5, DCMASPH6
DT20681 	POLE SAW CHAIN	DCMASPS5
DT20686 	POLE SAW BAR	POLE SAW BAR
DZO0190 	190 MM EDGER BLADE	DCMASED9
DT20666 	BLADE LUBRICANT	DCMASPH6
DT20662 	CHAINSAW OIL	DCMASPS5

53 CM PUSH MOWER



DCMRP531

2 x 18V XR® 53 cm Push Mower

Achieve a clean, professional finish with the DEWALT 2 x 18V XR® 53 cm Push Mower, a high-performance cordless mower designed for powerful cutting and versatile garden care. Featuring a 53 cm cutting width, 67L collection bag, mulch and rear side discharge options, 6-step height adjustment from 25–95 mm, and a user interface with real-time feedback and boost control, it is built for improved cut quality, convenience, and control. This mower combines strong performance with practical features such as ergonomic handles, vertical storage, and an LED headlight for extended working time.



DCMRP531	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 95 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG/67L
BARE WEIGHT	<30 KG

ORDER INFO	
DCMRP531N	TOOL ONLY
DCMRP531W2	MOWER, 2X 18V XR® 8AH (144 WH) BATTERY, 8A CHARGER

OUTDOOR SOLUTIONS

53 CM SELF-PROPELLED MOWER



NEW PRODUCT

DCMRS531

2 x 18V XR® 53 cm Self-Propelled Mower

18V XR

Take the effort out of mowing with the DEWALT 2 x 18V XR® 53 cm Self-Propelled Mower, a high-performance cordless mower designed to cover larger lawns with greater ease and control. Featuring powered drive assistance, a 53 cm cutting width, 67 L collection bag, mulch and rear side discharge options, and 6-step height adjustment from 25–95 mm, it delivers versatile cutting performance with reduced operator effort. Built for convenience and durability, it also includes an updated control interface with SOC, Boost and PWD functions, ergonomic folding handles, carry handles, an LED headlight, and a robust polymer deck.



DCMRS531	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 95 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG/67L
BARE WEIGHT	<30 KG

ORDER INFO	
DCMRS531N	TOOL ONLY
DCMRS531W2	MOWER, 2X 18V XR® 8AH (144 WH) BATTERY, 8A CHARGER

53 CM PUSH MOWER



DCMWP134

2x18V XR® 53 cm Push Mower

Push operated walk-behind mower. 2x18V brushless Autosense motor with load meter to maximise efficiency and 3-in-1 mowing functions.



DCMWP134	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 102 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG / 67 L
BARE WEIGHT	28 KG

ORDER INFO	
DCMWP134N	TOOL ONLY
DCMWP134W2	MOWER, 2X 18V XR® 8AH (144 WH) BATTERY, 8A CHARGER

53 CM SELF-PROPELLED MOWER

DCMWSP156

2x18V XR® 53 cm Self-Propelled Mower

6-speed rear wheel drive mower. 2x18V brushless Autosense motor with load meter to maximise efficiency and 3-in-1 mowing functions.



DCMWSP156	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 102 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG / 67 L
BARE WEIGHT	30 KG

ORDER INFO	
DCMWSP156N	TOOL ONLY
DCMWSP156W2	MOWER, 2X 18V XR® 8AH (144 WH) BATTERY, 8A CHARGER

53 CM PUSH MOWER

DCMWP500

54V XR® FLEXVOLT® 53 cm Push Mower

Push operated walk-behind mower with 54V Autosense motor. High efficiency cutting system with 3-in-1 mowing functions.



DCMWP500	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 102 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG / 67 L
BARE WEIGHT	26 KG

ORDER INFO	
DCMWP500N	TOOL ONLY

53 CM SELF-PROPELLED MOWER

DCMWSP550

54V XR® FLEXVOLT® 53 cm Self-Propelled Mower

6-speed rear wheel drive mower, with brushless Autosense motor. Optimised for the 54V FLEXVOLT® platform, with 3-in-1 mowing functions.





DCMWSP550	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 102 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG / 67 L
BARE WEIGHT	29 KG

ORDER INFO	
DCMWSP550N	TOOL ONLY

53 CM SELF-PROPELLED MOWER

DCMWSP660

54V XR® FLEXVOLT® 53 cm Self-Propelled Mower

High-performance dual blade cutting system with a 54V motor for maximum runtime. Additional headlights allow for increased visibility.



DCMWSP660	
HEIGHT SETTINGS/RANGE	6 (CENTRAL) / 25 - 102 MM
MOWING FUNCTIONS	COLLECT, MULCH & REAR SIDE DISCHARGE
COLLECTION TYPE/SIZE	BAG / 67 L
BARE WEIGHT	28 KG

ORDER INFO	
DCMWSP660N	TOOL ONLY

ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DT20902 	MOWER BLADES 2 PACK	DCMWP134, DCMWSP156, DCMWP500, DCMWSP550, DCMWSP660
DZMBLH53 	53CM BLADE SET HI-LIFT	DCMRP531 DCMRS531
DZMBLR53 	53CM BLADE SET RUNTIME	DCMRP531 DCMRS531
DZMBLX53 	53CM BLADE SET 3-IN-1 XTREME	DCMRP531 DCMRS531

POLE SAWS

OUTDOOR SOLUTIONS

POLE SAW



DCMPS567

18V XR® 20 cm Pole Saw

18V XR

Ideal for pruning high branches and light tree maintenance. Segmented pole design is easily disassembled for convenient storage.



DCMPS567	
BAR LENGTH	20 CM
MAX CHAIN SPEED	6.5 M/S
CHAIN PITCH	3/8" LP
MAX OVERALL LENGTH	3 M
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	2.7 KG

ORDER INFO	
DCMPS567N	TOOL ONLY
DCMPS567P1	POLE SAW, 1X XR® FLEXVOLT® 15AH (270 WH) BATTERY, 4A CHARGER

TELESCOPIC POLE SAW

DCMPS635

54V XR® FLEXVOLT® 25 cm Telescopic Pole Saw 3.5 m

54V XR FLEXVOLT

High cutting capacity for pruning larger branches, with an ergonomic design for improved user comfort on more demanding applications.




DCMPS635	
BAR LENGTH	25 CM
MAX CHAIN SPEED	15.6 M/S
CHAIN PITCH	3/8" LP
POWER OUTPUT	1280 W / 1.7 HP
MAX OVERALL LENGTH	3.5 M
RECOMMENDED BATTERY	DCB547
WEIGHT (TOOL ONLY)	6.5 KG

ORDER INFO	
DCMPS635N	TOOL ONLY



ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DT20667 	3/8" LP 20 CM CHAIN	DCMPS567
DT20668 	3/8" LP 20 CM BAR & CHAIN	DCMPS567
DZO6225 	3/8" LP 25 CM BAR	DCMPS635
DZO6325 	3/8" LP 25 CM CHAIN	DCMPS635
DT20662 	CHAINSAW OIL	DCMPS567, DCMPS635

PRESSURE WASHERS

PRESSURE WASHER



DCMPW1600
2x18V XR® Pressure Washer

18V XR

Suitable for general cleaning tasks such as tools, vehicles and site clean ups, with 3 pressure modes.



DCMPW1600	
BAR RATED (MAX)	70 / 85 / 110 (165) BAR
FLOW RATE RATED (MAX)	273 (330) LPH
SELF PRIMING	YES
HIGH PRESSURE HOSE LENGTH	6 M
ACCESSORIES STORAGE	ONBOARD
WEIGHT (TOOL ONLY)	10 KG

ORDER INFO	
DCMPW1600N	TOOL ONLY

POWER CLEANER

DCMPW1000
54V XR® FLEXVOLT® Power Cleaner

54V XR FLEXVOLT

Perfect for general cleaning tasks such as tools, vehicles, and outdoor surfaces, with self-priming operation for use away from the tap.



DCMPW1000	
BAR PRESSURE RATED (MAX)	69 (103) BAR
FLOW RATE RATED (MAX)	228 (306) LPH
SELF PRIMING	YES
ACCESSORIES STORAGE	MESH BAG
WEIGHT (TOOL ONLY)	3.1 KG

ORDER INFO	
DCMPW1000N	TOOL ONLY



PRUNERS

PRUNING SAW

DCMPS520
18V XR® Pruning Saw

Lightweight and compact, for your daily pruning tasks.





DCMPS520	
MAX CUT CAPACITY	150 MM
MAX CHAIN SPEED (NO LOAD)	8.6 M/S
SUPPLIED BAR LENGTH	20 CM
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	2.1 KG

ORDER INFO	
DCMPS520N	TOOL ONLY
DCMPS520P1	PRUNER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

PRUNER



DCMPP568
18V XR® Pruner

Ergonomic design for comfortable daily use, cutting branches up to 38 mm across gardening tasks.



DCMPP568	
MAX CUT CAPACITY	38 MM
RECOMMENDED BATTERY	DCB183
WEIGHT (TOOL ONLY)	1.4 KG

ORDER INFO	
DCMPP568N	TOOL ONLY
DCMPP568D1	PRUNER, 1X 18V XR® 2AH (36 WH) BATTERY, 4A CHARGER
DCMPP568P1	PRUNER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER
DCMPP568D1T	PRUNER IN TSTAK2, 1X 18V XR® 2AH (36 WH) BATTERY, 4A CHARGER

PRUNERS

POLE PRUNER



DCMPP569
18V XR® Pole Pruner

Features a segmented pole system and angled head, for accessing hard to reach branches.




DCMPP569	
MAX CUT CAPACITY	38 MM
MAX OVERALL LENGTH (POLE)	3 M
RECOMMENDED BATTERY	DCB184
WEIGHT (TOOL ONLY)	3.3 KG

ORDER INFO	
DCMPP569N	TOOL ONLY
DCMPP569P1	PRUNER, 1X 18V XR® 5AH (90 WH) BATTERY, 4A CHARGER

ACCESSORIES

SKU	DESCRIPTION	COMPATIBLE WITH
DT20693 	3/8" LP 20 CM CHAIN	DCMPS520
DT20694 	3/8" LP 20 CM PRUNING BAR	DCMPS520
DT20662 	CHAINSAW OIL	DCMPS520
DCMPPRB1 	REPLACEMENT BLADE	DCMPP568, DCMPP569





COMMERCIAL
OUTDOOR SOLUTIONS

BUILT TOUGH, POWERED FOR THE LONG DAYS

Engineered for commercial use, delivering petrol-level power — with dependable performance, durable components and simple serviceability.

BRUSHCUTTERS & TRIMMERS

BRUSHCUTTER (D-HANDLE)



DCMBC812

54V XR® FLEXVOLT® Brushcutter
D-Handle

Engineered for high performance, durability and runtime during tougher clearing tasks. D-Handle for manoeuvrability in tighter spaces.



DCMBC812	
CUTTING SPEED	0-4000 / 0-4700 / 0-5100 RPM
CUTTING WIDTH	25 CM
BLADE TYPE	TRI TIP BLADE
VIBRATION DATA	≤ 5.0 M/S²
RUNTIME (WITH DCB548)	87 MIN (LOW/ECO)
WEIGHT (TOOL ONLY)	6.8 KG

ORDER INFO	
DCMBC812N	TOOL ONLY

BRUSHCUTTER (BULL HANDLE)

DCMBC823

54V XR® FLEXVOLT® Brushcutter
Bull Handle

Engineered for high performance, durability and runtime during tougher clearing tasks. Bull Handle for greater control and comfort in larger spaces.



DCMBC823	
CUTTING SPEED	0-4000 / 0-4700 / 0-5100 RPM
CUTTING WIDTH	25 CM
BLADE TYPE	TRI TIP BLADE
VIBRATION DATA	≤ 4.9 M/S²
RUNTIME (WITH DCB548)	87 MIN (LOW/ECO)
WEIGHT (TOOL ONLY)	7.2 KG

ORDER INFO	
DCMBC823N	TOOL ONLY

CLEARING SAW

DCMBC723

54V XR® FLEXVOLT® Forestry
Clearing Saw

For demanding forest maintenance tasks, such as clearing thick brush, vines and saplings.



DCMBC723	
CUTTING SPEED	0-4000 / 0-4700 / 0-5100 RPM
CUTTING WIDTH	25 CM
BLADE TYPE	24 T BLADE
VIBRATION DATA	≤ 4.6 M/S²
RUNTIME (WITH DCB548)	80 MIN (LOW/ECO)
WEIGHT (TOOL ONLY)	7.6 KG

ORDER INFO	
DCMBC723N	TOOL ONLY

BRUSHCUTTERS & TRIMMERS

STRING TRIMMER LITE (D-HANDLE)

DCMST901
54V XR® FLEXVOLT® String Trimmer Lite

Designed for efficient large area cutting while maintaining improved visibility.





DCMST901	
CUTTING SPEED	0-3640 / 0-4420 / 0-5200 RPM
CUTTING WIDTH	42 CM
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER	2.4 MM
VIBRATION DATA	≤ 2.7 M/S²
RUNTIME (WITH DCB548)	69 MIN (LOW / ECO)
WEIGHT (TOOL ONLY)	4.6 KG

ORDER INFO	
DCMST901N	TOOL ONLY

STRING TRIMMER (D-HANDLE)



DCMST911
54V XR® FLEXVOLT® String Trimmer
D-Handle

Engineered for high performance, durability and runtime during tougher trimming tasks. D-Handle for manoeuvrability in tighter spaces.



DCMST911	
CUTTING SPEED	0-4000 / 0-4700 / 0-5100 RPM
CUTTING WIDTH	42 CM
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER	2.4 MM
VIBRATION DATA	≤ 2.5 M/S²
RUNTIME (WITH DCB548)	47 MIN (LOW/ECO)
WEIGHT (TOOL ONLY)	5.9 KG

ORDER INFO	
DCMST911N	TOOL ONLY

BRUSHCUTTERS & TRIMMERS

STRING TRIMMER (BULL HANDLE)



DCMST922

54V XR® FLEXVOLT® String Trimmer
Bull Handle

Engineered for high performance, durability and runtime during tougher trimming tasks. Bull Handle for greater control and comfort in larger spaces.



DCMST922	
CUTTING SPEED	0-4000 / 0-4700 / 0-5100 RPM
CUTTING WIDTH	42 CM
FEED SYSTEM	BUMP (QUICKLOAD™)
LINE DIAMETER	2.4 MM
VIBRATION DATA	≤ 3.9 M/S²
RUNTIME (WITH DCB548)	47 MIN (LOW/ECO)
WEIGHT (TOOL ONLY)	6.6 KG

ORDER INFO	
DCMST922N	TOOL ONLY

EDGER

DCMED411

54V XR® FLEXVOLT® Straight Shaft Edger

Tackle a variety of edges with an adjustable cutting depth for precise cutting across paths, flowerbeds and driveways.



DCMED411	
CUTTING SPEED	0-3648 / 0-4320 / 0-4800 RPM
CUTTING DEPTH	UP TO 5 CM
VIBRATION DATA	2.4 M/S²
RUNTIME (WITH DCB548)	199 MIN (LOW / ECO)
WEIGHT (TOOL ONLY)	5.6 KG

ORDER INFO	
DCMED411N	TOOL ONLY



ACCESSORIES – CUTTING EQUIPMENT



SKU	DESCRIPTION	COMPATIBLE WITH
DT20652 	TRIMMER LINE 2.4 MM X 68.6 M	DCMST901, DCMST911, DCMST922, DCMBC812 (WITH CONVERSION KIT), DCMBC823 (WITH CONVERSION KIT), DCMBC723 (WITH CONVERSION KIT)
DT20905 	TRIMMER LINE 2.7 MM X 55 M	DCMST901, DCMST911, DCMST922, DCMBC812 (WITH CONVERSION KIT), DCMBC823 (WITH CONVERSION KIT), DCMBC723 (WITH CONVERSION KIT)
DT20906 	TRIMMER LINE 2.7 MM X 210 M	DCMST901, DCMST911, DCMST922, DCMBC812 (WITH CONVERSION KIT), DCMBC823 (WITH CONVERSION KIT), DCMBC723 (WITH CONVERSION KIT)
DT20655 	BRUSH CUTTER 4-TOOTH BLADE	DCMBC812, DCMBC823, DCMBC723, DCMST911 (WITH CONVERSION KIT), DCMST922 (WITH CONVERSION KIT)
DT20653 	BRUSH CUTTER TRI BLADE	DCMBC812, DCMBC823, DCMBC723, DCMST911 (WITH CONVERSION KIT), DCMST922 (WITH CONVERSION KIT)
DT20696 	24-TOOTH SAW BLADE	DCMBC723, DCMBC823 (WITH CONVERSION KIT), DCMST922 (WITH CONVERSION KIT)
DT20903 	REPLACEMENT BUMP HEAD	DCMST901, DCMST911, DCMST922, DCMBC812 (WITH CONVERSION KIT), DCMBC823 (WITH CONVERSION KIT), DCMBC723 (WITH CONVERSION KIT)

ACCESSORIES



SKU		DESCRIPTION	COMPATIBLE WITH
DT20695		BRUSH TO STRING CONVERSION KIT	DCMBC812, DCMBC823, DCMBC723,
DT20904		STRING TO BRUSH CONVERSION KIT	DCMBC723, DCMST911, DCMST922
DT20907		STRING / BRUSH TO FORESTRY SAW CONVERSION KIT	DCMBC823, DCMST922
DT20697		PREMIUM SINGLE STRAP	DCMBC812, DCMST901, DCMST911, DCMED411
DT20698		DELUXE HARNESS	DCMBC812, DCMBC823, DCMBC723, DCMST901, DCMST911, DCMST922, DCMED411
DT20699		EXO HARNESS	DCMBC812, DCMBC823, DCMBC723, DCMST901, DCMST911, DCMST922, DCMED411

CHAINSAWS

COMPACT TOP HANDLE CHAINSAW

DCMCST632

54V XR® FLEXVOLT® 30 cm Compact Top Handle Chainsaw

Designed for all-day comfort and control, this chainsaw features a lightweight body, delivering outstanding cutting performance.





DCMCST632	
BAR LENGTH	30 CM
MAX CHAIN SPEED (NO LOAD)	23.6 M/S
CHAIN PITCH	0.325" LP
RUNTIME (WITH DCB547)	187 CUTS*
RECOMMENDED BATTERY	DCB547
WEIGHT (TOOL ONLY)	3.1 KG

ORDER INFO	
DCMCST635N	TOOL ONLY

TOP HANDLE CHAINSAW



DCMCST635

54V XR® FLEXVOLT® 35 cm Top Handle Chainsaw

Offering excellent power and cutting capacity, across dismantling jobs and pruning. Built for professional use, delivering the power and confidence needed.




DCMCST635	
BAR LENGTH	35 CM
MAX CHAIN SPEED (NO LOAD)	23.6 M/S
CHAIN PITCH	0.325" LP
RUNTIME (WITH DCB547)	160 CUTS*
RECOMMENDED BATTERY	DCB547
WEIGHT (TOOL ONLY)	3.3 KG

ORDER INFO	
DCMCST635N	TOOL ONLY
DCMCST635X1	CHAINSAW, 1X XR® FLEXVOLT® 9AH (162 WH) BATTERY, 8A CHARGER

*Cutting 10 x 10 cm pressure treated pine.

ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DZO6425 	0.325" LP 25 CM BAR	DCMCST632
DZO6525 	0.325" LP 25 CM CHAIN	DCMCST632
DZO6430 	0.325" LP 30 CM BAR	DCMCST635, DCMCST632
DZO6530 	0.325" LP 30 CM CHAIN	DCMCST635, DCMCST632
DT20691 	0.325" LP 35 CM BAR	DCMCST635, DCMCST632
DT20692 	0.325" LP 35 CM CHAIN	DCMCST635, DCMCST632
DZO6440 	0.325" LP 40 CM BAR	DCMCST635, DCMCST632
DZO6540 	0.325" LP 40 CM CHAIN	DCMCST635, DCMCST632
DT20662 	CHAINSAW OIL	DCMCST635, DCMCST632

HEDGE TRIMMERS


POLE HEDGE TRIMMER



DCMPH622

54V XR® FLEXVOLT® 2.3 m Long Reach Pole Hedge Trimmer

Power through high-reach trimming with the DEWALT 54V XR® FLEXVOLT® 2.3 m Pole Hedge Trimmer, a commercial-grade cordless tool built for efficient cutting and extended reach. Featuring a long-reach pole design, powerful brushless performance, and professional-duty construction, it is ideal for maintaining tall hedges and hard-to-access areas with greater control and productivity.



DCMPH622	
SPEED	4500 SPM
BLADE GAP	32 MM
BLADE LENGTH	55 CM
MAX OVERALL LENGTH	2.3 M
CUTTING POSITIONS	7

ORDER INFO	
DCMPH622N	TOOL ONLY

HEDGE TRIMMERS


POLE HEDGE TRIMMER



DCMPH627S

54V XR® FLEXVOLT® 1.5 m Fixed Pole Hedge Trimmer

Power through trimming tasks with the DEWALT 54V XR® FLEXVOLT® 1.5 m Fixed Pole Hedge Trimmer, a cordless tool designed for professional cutting performance with improved reach and control. Featuring powerful brushless performance, a short pole design for better handling, and rugged construction suited to demanding outdoor work, it is ideal for shaping hedges and tackling hard-to-reach areas with efficiency and precision.



DCMPH627S	
SPEED	4500 SPM
BLADE GAP	32 MM
BLADE LENGTH	55 CM
MAX OVERALL LENGTH	1.5 M
CUTTING POSITIONS	1 - FIXED

ORDER INFO	
DCMPH627SN	TOOL ONLY

ACCESSORIES



SKU	DESCRIPTION	COMPATIBLE WITH
DT20666 	BLADE LUBRICANT	DCMPH622, DCMPH627S
DT20697 	PREMIUM SINGLE STRAP	DCMPH622, DCMPH627S
DT20698 	DELUXE HARNESS	DCMPH622, DCMPH627S
DT20699 	EXO HARNESS	DCMPH622, DCMPH627S

POLE SAWS

4.0 M POLE SAW



DCMPS640

54V XR® FLEXVOLT® 4.0 m 30 cm Pole Saw


High cutting capacity for maximum productivity. Effortlessly extends to reach tall branches, collapsing to 3 m for ease of storage and transportation.



DCMPS640	
MAX CHAIN SPEED	21.3 M/S
CHAIN PITCH	0.325" LP
POWER OUTPUT	1714 W / 2.3 HP
MAX OVERALL LENGTH	4 M
RUNTIME (WITH DCB549)	190 CUTS*
RECOMMENDED BATTERY	DCB549
WEIGHT (TOOL ONLY)	6.8 KG

ORDER INFO	
DCMPS640N	TOOL ONLY

ACCESSORIES

SKU	DESCRIPTION	COMPATIBLE WITH
DZO6425 	0.325" LP 25 CM BAR	DCMPS640
DZO6525 	0.325" LP 25 CM CHAIN	DCMPS640
DZO6430 	0.325" LP 30 CM BAR	DCMPS640
DZO6530 	0.325" LP 30 CM CHAIN	DCMPS640
DT20662 	CHAINSAW OIL	DCMPS640



*Cutting 10 x 10 cm pressure treated pine.



SCAN NOW

Sign up for product info, promotions, and news.

STAY CONNECTED

Follow our journey and share yours.
Engage with us on social media for product highlights, customer stories, and more.

@DEWALTUK

@DEWALTUK

@DEWALTUK

@DEWALTUK

CONTACT@DEWALT.CO.UK



Copyright ©2026 DEWALT. The following are trademarks for one or more DEWALT power and outdoor tools, accessories, anchors and concrete adhesives: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.